

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA


NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2	
PERMIT NUMBER	DISCHARGE NUMBER


MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
FROM 10	12	1	TO	10	12	31

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	26	28	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<96	<96	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	<2.2	2.2	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE		
Al Jensen Hatchery Manager, LNFH							509	548-7641	10	12	30
TYPED OR PRINTED							AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.



		SUSPENDED					SETTLEABLE						
	Dec. '10	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D	PONDS IN USE	GPM	
DATE	Location												
12/7/2010	WEEK 1										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml	<1		<1		<0.1		<96	25.3		11900	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water									5550	
	UNDER BRIDGE DISCHARGE		<1									132	
	PA POND DISCHARGE	1000ml					<0.1					0	
12/14/2010	WEEK 2										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml		8			<0.1			25.3		11900	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					5550	
	UNDER BRIDGE DISCHARGE	1000ml										132	
	PA POND DISCHARGE	1000 ml		2.2			<0.1					0	
12/20/2010	WEEK 3										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			25.3		11900	
	OUTSIDE SC CANAL DISCHARGE											5550	
	UNDER BRIDGE DISCHARGE						<0.1					132	
	PA POND DISCHARGE	1000 ml		<1			<0.1					0	
12/28/2010	WEEK 4										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	off	
	INTAKE ICICLE	1000 ml					<0.1			28		11900	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					5550	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1					2040	
	PA POND DISCHARGE	1000 ml					<0.1					0	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

*When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2

PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD


FROM YEAR 10 MO 11 DAY 1 TO YEAR 10 MO 11 DAY 30

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	29.4	29.4	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	111	111	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	<1.2	1.2	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.			TELEPHONE		DATE				
AI Jensen Hatchery Manager, LNFH					509	548-7641	10	11	30		
TYPED OR PRINTED					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.



		SUSPENDED					SETTLEABLE					
Nov. '10		SAMPLE	COMP	TSS	NET DIFF	RELEASE	NET SAMPLE	RELEASE	WASTE	TOTAL FLOW	PONDS IN USE	GPM
DATE	Location	VOLUME	SAMPLE		MG/L	TSS	CONC ML/L	SETT.	KG/D	MG/D		
11/4/2010	WEEK 1										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse
	INTAKE ICICLE	1000 ml	<1		1		<0.1		111	29.4		9100
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water									11100
	UNDER BRIDGE DISCHARGE		1									200
	PA POND DISCHARGE	1000ml					<0.1					0
11/9/2010	WEEK 2										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse
	INTAKE ICICLE	1000 ml		<1			<0.1			29.4		9100
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					11100
	UNDER BRIDGE DISCHARGE	1000ml					<0.1					200
	PA POND DISCHARGE	1000 ml		1.2			<0.1					0
11/16/2010	WEEK 3										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse
	INTAKE ICICLE	1000 ml		4			<0.1			29.4		9100
	OUTSIDE SC CANAL DISCHARGE											11100
	UNDER BRIDGE DISCHARGE											200
	PA POND DISCHARGE	1000 ml		<1			<0.1					0
11/30/2010	WEEK 4										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	off
	INTAKE ICICLE	1000 ml					<0.1			29.4		9100
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					11100
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1					200
	PA POND DISCHARGE	1000 ml					<0.1					0
	RELEASE/DRAWDOWN											
	ADULT POND	1000 ml										
	L 8x80 RACEWAYS	1000ml										
	10x100 RACEWAYS	1000ml										
	COHO FL's	1000 ml										

*When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE

ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2

PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD

FROM

YEAR	MO	DAY
10	10	1

TO

YEAR	MO	DAY
10	10	31

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	25.5	26.2	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A	N/A		Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<95.8	<95.8	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A		1/Month	Comp.	
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				1.0	1.6	2.2	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.			TELEPHONE		DATE				
acting Al Jensen Hatchery Manager, LNFH					509 548-7641		10	10	29		
TYPED OR PRINTED					AREA CODE NUMBER		YEAR	MO	DAY		

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.

		SUSPENDED					SETTLEABLE					PONDS IN USE	GPM
	Oct. '10	SAMPLE	COMP	TSS	NET DIFF	RELEASE	NET SAMPLE	RELEASE	WASTE	TOTAL FLOW			
DATE	Location	VOLUME	SAMPLE		MG/L	TSS	CONC ML/L	SETT.	KG/D	MG/D			
10/5/2010	WEEK 1										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml	<1		<1		<0.1		<95.8	25.3	10 X 100'S	8470	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water								8 X 80'S	9000	
	UNDER BRIDGE DISCHARGE		<1								NURSERY	112	
	PA POND DISCHARGE	1000ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	17582	
10/14/2010	WEEK 2										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			25.3	10 X 100'S	8470	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	9000	
	UNDER BRIDGE DISCHARGE	1000ml					<0.1				NURSERY	112	
	PA POND DISCHARGE	1000 ml		2.2			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	17582	
10/20/2010	WEEK 3										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			25.3	10 X 100'S	8470	
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	9000	
	UNDER BRIDGE DISCHARGE										NURSERY	112	
	PA POND DISCHARGE	1000 ml		1			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	17582	
10/26/2010	WEEK 4										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml					<0.1			26.2	10 X 100'S	9100	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	9000	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				NURSERY	112	
	PA POND DISCHARGE	1000 ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	18212	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME

U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE

ADDRESS

Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY

LOCATION

Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

WA-000190-2


PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
10	10	1		10	10	31

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	25.5	26.2	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<95.8	<95.8	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				1.0	1.6	2.2	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE		
acty Al Jensen Hatchery Manager, LNFH							509	548-7641	10	10	29
TYPED OR PRINTED					AREA CODE NUMBER YEAR MO DAY						

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.

SUSPENDED						SETTLEABLE						
DATE	Oct. '10 Location	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D	PONDS IN USE	GPM
10/5/2010	WEEK 1										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml	<1		<1		<0.1		<95.8	25.3	10 X 100'S	8470
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water								8 X 80'S	9000
	UNDER BRIDGE DISCHARGE		<1								NURSERY	112
	PA POND DISCHARGE	1000ml					<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	17582
10/14/2010	WEEK 2										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml		<1			<0.1			25.3	10 X 100'S	8470
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	9000
	UNDER BRIDGE DISCHARGE	1000ml					<0.1				NURSERY	112
	PA POND DISCHARGE	1000 ml		2.2			<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	17582
10/20/2010	WEEK 3										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml		<1			<0.1			25.3	10 X 100'S	8470
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	9000
	UNDER BRIDGE DISCHARGE										NURSERY	112
	PA POND DISCHARGE	1000 ml		1			<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	17582
10/26/2010	WEEK 4										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml					<0.1			26.2	10 X 100'S	9100
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	9000
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				NURSERY	112
	PA POND DISCHARGE	1000 ml					<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	18212
	RELEASE/DRAWDOWN											
	ADULT POND	1000 ml										
	L 8x80 RACEWAYS	1000ml										
	10x100 RACEWAYS	1000ml										
	COHO FL's	1000 ml										

*When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA


NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2	
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
10	9	1		10	9	30

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	25.3	25.3	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<96	<96	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A				2/Month
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				2.4	3.9	5.4	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*				2/Month
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2				1/Week
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE		
Al Jensen Hatchery Manager, LNFH							509	548-7641	10	9	30
TYPED OR PRINTED							AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.



		SUSPENDED					SETTLEABLE						
	Sept `10	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D	PONDS IN USE	GPM	
DATE	Location												
9/7/2010	WEEK 1										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml	1		<1		<0.1		<96	25.3		8470	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water									9000	
	UNDER BRIDGE DISCHARGE		<1									112	
	PA POND DISCHARGE	1000ml					<0.1					0	
9/15/2010	WEEK 2										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			25.3		8470	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					9000	
	UNDER BRIDGE	1000ml					<0.1					112	
	PA POND DISCHARGE	1000 ml		2.4			<0.1					0	
9/22/2010	WEEK 3										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			25.3		8470	
	OUTSIDE SC CANAL DISCHARGE											9000	
	UNDER BRIDGE DISCHARGE											112	
	PA POND DISCHARGE	1000 ml		5.4			<0.1					0	
9/28/2010	WEEK 4										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml					<0.1			25.3		8470	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					9000	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1					112	
	PA POND DISCHARGE	1000 ml					<0.1					0	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

*When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2

PERMIT NUMBER


DISCHARGE NUMBER

MONITORING PERIOD

FROM			TO		
YEAR	MO	DAY	YEAR	MO	DAY
10	9	1	10	9	30

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	25.3	25.3	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A	N/A		Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<96	<96	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A		1/Month	Comp.	
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				2.4	3.9	5.4	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
Al Jensen Hatchery Manager, LNFH			509	548-7641	10	9	30
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.



		SUSPENDED					SETTLEABLE					PONDS IN USE	GPM
DATE	Sept `10 Location	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D			
9/7/2010	WEEK 1										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml	1		<1		<0.1		<96	25.3	10 X 100'S	8470	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water								8 X 80'S	9000	
	UNDER BRIDGE DISCHARGE		<1								NURSERY	112	
	PA POND DISCHARGE	1000ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	17582	
9/15/2010	WEEK 2										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			25.3	10 X 100'S	8470	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	9000	
	UNDER BRIDGE	1000ml					<0.1				NURSERY	112	
	PA POND DISCHARGE	1000 ml		2.4			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	17582	
9/22/2010	WEEK 3										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			25.3	10 X 100'S	8470	
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	9000	
	UNDER BRIDGE DISCHARGE										NURSERY	112	
	PA POND DISCHARGE	1000 ml		5.4			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	17582	
9/28/2010	WEEK 4										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml					<0.1			25.3	10 X 100'S	8470	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	9000	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				NURSERY	112	
	PA POND DISCHARGE	1000 ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	17582	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMIT NAME: U.S. DEPT. OF INTERIOR U.S. FISH AND WILDLIFE SERVICE
 ADDRESS: Leavenworth National Fish Hatchery
 12790 Fish Hatchery Rd
 Leavenworth, WA 98826
 FACILITY LOCATION: Leavenworth, WA


NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

Form Approved
 OMB No. 2040-0004

WA-000190-2	
PERMIT NUMBER	DISCHARGE NUMBER


MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
10	8	1	FROM	10	8	31
			TO			

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	24.2	26.7	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A		N/A		
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<104	<104	Kg/Day							Comp.
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			Grab
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	<3.5	6.3	MG/L			Grab
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			Grab
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				TELEPHONE		DATE			
						509	548-7641	10	8	31	
TYPED OR PRINTED						AREA CODE	NUMBER	YEAR	MO	DAY	

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.



		SUSPENDED					SETTLEABLE						
	Aug `10	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D	PONDS IN USE	GPM	
DATE	Location												
8/5/2010	WEEK 1										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	1000	
	INTAKE ICICLE	1000 ml	<1		<1.4		<0.1		<104	19.6		6300	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water									6300	
	UNDER BRIDGE DISCHARGE		1.4									0	
	PA POND DISCHARGE	1000ml					offline					0	
8/10/2010	WEEK 2										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	1000	
	INTAKE ICICLE	1000 ml		<1			<0.1			23.9		8400	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					7200	
	UNDER BRIDGE	1000ml					<0.1					0	
	PA POND DISCHARGE	1000 ml		6			<0.1					0	
8/19/2010	WEEK 3										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	1000	
	INTAKE ICICLE	1000 ml		1			<0.1			26.7		8400	
	OUTSIDE SC CANAL DISCHARGE											9120	
	UNDER BRIDGE DISCHARGE											0	
	PA POND DISCHARGE	1000 ml		6.3			<0.1					0	
8/25/2010	WEEK 4										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	1000	
	INTAKE ICICLE	1000 ml					<0.1			26.6		8442	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					9000	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1					0	
	PA POND DISCHARGE	1000 ml					<0.1					0	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

¹When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2

PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
10	7	1		10	7	31

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	19.6	19.6	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<74	<74	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	1.7	3.0	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				TELEPHONE		DATE				
AI Jensen Hatchery Manager, LNFH					509 548-7641		10	7	30		
TYPED OR PRINTED					NUMBER		YEAR	MO	DAY		
COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE				

* Grab net over influent.



		SUSPENDED					SETTLEABLE						
	July `10	SAMPLE	COMP	TSS	NET DIFF	RELEASE	NET SAMPLE	RELEASE	WASTE	TOTAL FLOW	PONDS IN USE	GPM	
DATE	Location	VOLUME	SAMPLE		MG/L	TSS	CONC ML/L	SETT.	KG/D	MG/D			
7/7/2010	WEEK 1										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	1000	
	INTAKE ICICLE	1000 ml	<1		<1		<0.1		<74	19.6		6300	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water									6300	
	UNDER BRIDGE DISCHARGE		<1									0	
	PA POND DISCHARGE	1000ml					<0.1					0	
7/13/2010	WEEK 2										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	1000	
	INTAKE ICICLE	1000 ml		1.5			<0.1			19.6		6300	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					6300	
	UNDER BRIDGE	1000ml					<0.1					0	
	PA POND DISCHARGE	1000 ml		3			<0.1					0	
7/21/2010	WEEK 3										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	1000	
	INTAKE ICICLE	1000 ml		<1			<0.1			19.6		6300	
	OUTSIDE SC CANAL DISCHARGE											6300	
	UNDER BRIDGE DISCHARGE											0	
	PA POND DISCHARGE	1000 ml		1.4			<0.1					0	
7/29/2010	WEEK 4										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	1000	
	INTAKE ICICLE	1000 ml					<0.1			19.6		6300	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					6300	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1					0	
	PA POND DISCHARGE	1000 ml					<0.1					0	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

*When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA


NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2	
PERMIT NUMBER	DISCHARGE NUMBER


MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
FROM 10	6	1	TO	10	6	30

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	18.4	18.6	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	0	0	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				1.0	1.5	2.0	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE		
Al Jensen Hatchery Manager, LNFH							509	548-7641	10	6	30
TYPED OR PRINTED					AREA CODE NUMBER		YEAR		MO		DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.



		SUSPENDED					SETTLEABLE					PONDS IN USE	GPM
	June `10	SAMPLE	COMP	TSS	NET DIFF	RELEASE	NET SAMPLE	RELEASE	WASTE	TOTAL FLOW			
DATE	Location	VOLUME	SAMPLE		MG/L	TSS	CONC ML/L	SETT.	KG/D	MG/D			
6/3/2010	WEEK 1										ADULT POND	REUSE	
	INTAKE ICICLE	1000 ml	9		-3		<0.1		0	18.6	10 X 100'S	6300	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water								8 X 80'S	6300	
	UNDER BRIDGE DISCHARGE		6								NURSERY	330	
	PA POND DISCHARGE	1000ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	12930	
6/8/2010	WEEK 2										ADULT POND	REUSE	
	INTAKE ICICLE	1000 ml		2			<0.1			18.6	10 X 100'S	6300	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	6300	
	UNDER BRIDGE	1000ml					<0.1				NURSERY	330	
	PA POND DISCHARGE	1000 ml		1			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	12930	
6/16/2010	WEEK 3										ADULT POND	REUSE	
	INTAKE ICICLE	1000 ml		1.8			<0.1			18.6	10 X 100'S	6300	
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	6300	
	UNDER BRIDGE DISCHARGE										NURSERY	330	
	PA POND DISCHARGE	1000 ml		1.2			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	12930	
6/22/2010	WEEK 4										ADULT POND	REUSE	
	INTAKE ICICLE	1000 ml					<0.1			18.1	10 X 100'S	6300	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	6300	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				NURSERY	0	
	PA POND DISCHARGE	1000 ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	12600	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2

PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD


YEAR	MO	DAY	TO	YEAR	MO	DAY
10	5	1		10	5	31

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE				
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS							
Flow	SAMPLE MEASUREMENT	14.0	19.0	MGD							Total				
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily					
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<34.3	<34.3	Kg/Day											
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.				
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L							
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab				
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				1.4	1.6	1.8	MG/L							
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab				
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L							
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab				
	SAMPLE MEASUREMENT														
	PERMIT REQUIREMENT														
	SAMPLE MEASUREMENT														
	PERMIT REQUIREMENT														
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				TELEPHONE		DATE							
AI Jensen Hatchery Manager, LNFH						509	548-7641	10	5	28					
TYPED OR PRINTED						SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MO	DAY			

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.



		SUSPENDED					SETTLEABLE						
	May. `10	SAMPLE	COMP	TSS	NET DIFF	RELEASE	NET SAMPLE	RELEASE	WASTE	TOTAL FLOW	PONDS IN USE	GPM	
DATE	Location	VOLUME	SAMPLE		MG/L	TSS	CONC ML/L	SETT.	KG/D	MG/D			
5/6/2010	WEEK 1										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	0	
	INTAKE ICICLE	1000 ml	<1		<1		<0.1		<34.3	9.1		0	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water									6300	
	UNDER BRIDGE DISCHARGE		<1									0	
	PA POND DISCHARGE	1000ml					<0.1					0	
5/10/2010	WEEK 2												
	INTAKE ICICLE	1000 ml		<1			<0.1			9.1	ADULT POND	0	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				10 X 100'S	0	
	UNDER BRIDGE	1000ml					<0.1				8 X 80'S	6300	
	PA POND DISCHARGE	1000 ml		1.4			<0.1				NURSERY	0	
											Trout Pond / FL'S	0	
											TOTAL GPM ¹	6300	
5/20/2010	WEEK 3												
	INTAKE ICICLE	1000 ml		4.8			<0.1			19	ADULT POND	0	
	OUTSIDE SC CANAL DISCHARGE										10 X 100'S	6300	
	UNDER BRIDGE DISCHARGE										8 X 80'S	6600	
	PA POND DISCHARGE	1000 ml		1.8			<0.1				NURSERY	330	
											Trout Pond / FL'S	0	
											TOTAL GPM ¹	13230	
5/25/2010	WEEK 4												
	INTAKE ICICLE	1000 ml					<0.1			19	ADULT POND	REUSE	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				10 X 100'S	6300	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				8 X 80'S	6600	
	PA POND DISCHARGE	1000 ml					<0.1				NURSERY	330	
											Trout Pond / FL'S	0	
											TOTAL GPM ¹	13230	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2


PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD

FROM YEAR 10 MO 4 DAY 1 TO YEAR 10 MO 4 DAY 30

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
Flow	SAMPLE MEASUREMENT	23.9	28.9	MGD							Total	
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A		N/A		Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<131	<131	Kg/Day								
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.	
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L				
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab	
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	<1.5	2.8	MG/L				
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab	
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT						0.2	ML/L				
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
AI Jensen Hatchery Manager, LNFH	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			AREA CODE	NUMBER	YEAR	MO	DAY
TYPED OR PRINTED								509	548-7641	10	4	30

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.



		SUSPENDED					SETTLEABLE						
	Apr. '10	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D	PONDS IN USE	GPM	
DATE	Location												
4/1/2010	WEEK 1										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	REUSE	
	INTAKE ICICLE	1000 ml	<1		<1.2		<0.1		<131	28.9		11200	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water									8925	
	UNDER BRIDGE DISCHARGE		1.2									0	
	PA POND DISCHARGE	1000ml					<0.1					0	
4/7/2010	WEEK 2										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	REUSE	
	INTAKE ICICLE	1000 ml		<1			<0.1			28.9		11200	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					8925	
	UNDER BRIDGE	1000ml					<0.1					0	
	PA POND DISCHARGE	1000 ml		<1			<0.1					0	
4/15/2010	WEEK 3										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	REUSE	
	INTAKE ICICLE	1000 ml		<1			<0.1			28.9		11200	
	OUTSIDE SC CANAL DISCHARGE											8925	
	UNDER BRIDGE DISCHARGE											0	
	PA POND DISCHARGE	1000 ml		<1			<0.1					0	
4/21/2010	WEEK 4										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	off	
	INTAKE ICICLE	1000 ml					0.1			9		off	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					6300	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1					0	
	PA POND DISCHARGE	1000 ml					<0.1					0	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml				1.2		0.3					
	L 8x80 RACEWAYS	1000ml				2		0.2					
	10x100 RACEWAYS	1000ml				2.8		1					
	COHO FL's	1000 ml											

When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826
FACILITY LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2

PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD


YEAR	MO	DAY	TO	YEAR	MO	DAY
10	3	1		10	3	31

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	29.1	31	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A		N/A		
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	89.1	89.1	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	<1	1.8	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				TELEPHONE		DATE			
Al Jensen Hatchery Manager, LNFH						509 548-7641		10 3 31			
TYPED OR PRINTED						SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE NUMBER		YEAR MO DAY	

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.



		SUSPENDED				SETTLEABLE					
	Mar. '10	SAMPLE	COMP	SUSPENDED	NET DIFF	NET SAMPLE	NET	WASTE	TOTAL FLOW	PONDS IN USE	GPM
DATE	Location	VOLUME	SAMPLE	SOLIDS	MG/L	CONC ML/L	DIFF	KG/D	MG/D		
3/3/2010	WEEK 1									ADULT POND	REUSE
	INTAKE ICICLE	1000 ml	1		0.8	<0.1		89.1	29.4	10 X 100'S	10500
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water							8 X 80'S	5775
	UNDER BRIDGE DISCHARGE		1.8							NURSERY	4165
	PA POND DISCHARGE	1000ml				<0.1				Trout Pond / FL'S	0
										TOTAL GPM ¹	20440
3/9/2010	WEEK 2									ADULT POND	REUSE
	INTAKE ICICLE	1000 ml		<1		<0.1			31	10 X 100'S	10500
	OUTSIDE SC CANAL DISCHARGE	1000ml				No Water				8 X 80'S	8775
	UNDER BRIDGE	1000ml				<0.1				NURSERY	2225
	PA POND DISCHARGE	1000 ml		1.8		<0.1				Trout Pond / FL'S	0
										TOTAL GPM ¹	21500
3/17/2010	WEEK 3									ADULT POND	REUSE
	INTAKE ICICLE	1000 ml		<1		<0.1			28.2	10 X 100'S	10500
	OUTSIDE SC CANAL DISCHARGE									8 X 80'S	8775
	UNDER BRIDGE DISCHARGE									NURSERY	330
	PA POND DISCHARGE	1000 ml		<1		<0.1				Trout Pond / FL'S	0
										TOTAL GPM ¹	19605
3/23/2010	WEEK 4									ADULT POND	REUSE
	INTAKE ICICLE	1000 ml				<0.1			27.8	10 X 100'S	10500
	OUTSIDE SC CANAL DISCHARGE	1000ml				No Water				8 X 80'S	8775
	UNDER BRIDGE DISCHARGE	1000 ml				<0.1				NURSERY	0
	PA POND DISCHARGE	1000 ml				<0.1				Trout Pond / FL'S	0
										TOTAL GPM ¹	19275
	WEEK 5										
	INTAKE ICICLE	1000 ml									
	PA POND DISCHARGE	1000 ml								TOTAL GPM	

*When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

GPM x 60min x 24hrs = Flow MG/D

GPM x 0.00545 x Net Diff = Waste KG/D

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME

U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE

ADDRESS

Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY

LOCATION

Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

WA-000190-2

PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD

YEAR	MO	DAY	YEAR	MO	DAY
10	2	1	10	2	28

FROM

TO

NOTE: Read instructions before completing this form.

Form Approved.
OMB No. 2040-0004

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	30.1	30.4	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A	N/A		Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<115	<115	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A		1/Month	Comp.	
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	<1	1	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.			TELEPHONE		DATE				
Al Jensen Hatchery Manager, LNFH					509	548-7641	10	2	26		
TYPED OR PRINTED					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY	

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.

		SUSPENDED				SETTLEABLE					
Feb. '10		SAMPLE	COMP	SUSPENDED	NET DIFF	NET SAMPLE	NET	WASTE	TOTAL FLOW	PONDS IN USE	GPM
DATE	Location	VOLUME	SAMPLE	SOLIDS	MG/L	CONC ML/L	DIFF	KG/D	MG/D		
2/4/2010	WEEK 1									ADULT POND	2000
	INTAKE ICICLE	1000 ml	<1		<1	<0.1		<115	30.4	10 X 100'S	10500
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water							8 X 80'S	5775
	UNDER BRIDGE DISCHARGE		<1							NURSERY	2865
	PA POND DISCHARGE	1000ml				<0.1				Trout Pond / FL'S	0
										TOTAL GPM ¹	21140
2/9/2010	WEEK 2									ADULT POND	2000
	INTAKE ICICLE	1000 ml		<1		<0.1			30	10 X 100'S	10500
	OUTSIDE SC CANAL DISCHARGE	1000ml				No Water				8 X 80'S	5775
	UNDER BRIDGE	1000ml				<0.1				NURSERY	2595
	PA POND DISCHARGE	1000 ml		<1		<0.1				Trout Pond / FL'S	0
										TOTAL GPM ¹	20870
2/18/2010	WEEK 3									ADULT POND	2000
	INTAKE ICICLE	1000 ml		<1		<0.1			30	10 X 100'S	10500
	OUTSIDE SC CANAL DISCHARGE									8 X 80'S	5775
	UNDER BRIDGE DISCHARGE									NURSERY	2595
	PA POND DISCHARGE	1000 ml		1		<0.1				Trout Pond / FL'S	0
										TOTAL GPM ¹	20870
2/23/2010	WEEK 4									ADULT POND	2000
	INTAKE ICICLE	1000 ml				<0.1			30	10 X 100'S	10500
	OUTSIDE SC CANAL DISCHARGE	1000ml				No Water				8 X 80'S	5775
	UNDER BRIDGE DISCHARGE	1000 ml				<0.1				NURSERY	2595
	PA POND DISCHARGE	1000 ml				<0.1				Trout Pond / FL'S	0
										TOTAL GPM ¹	20870
	WEEK 5										
	INTAKE ICICLE	1000 ml									
	PA POND DISCHARGE	1000 ml								TOTAL GPM	

*When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

GPM x 60min x 24hrs = Flow MG/D

GPM x 0.00545 x Net Diff = Waste KG/D

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE

ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

WA-000190-2

PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD

YEAR	MO	DAY	YEAR	MO	DAY
10	1	1	10	1	31

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	29.8	30	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<112.6	<112.6	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A				2/Month
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	<1	<1	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*				2/Month
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2				1/Week
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				TELEPHONE		DATE			
Al Jensen Hatchery Manager, LNPH						509	548-7641	10	1	29	
TYPED OR PRINTED						AREA CODE	NUMBER	YEAR	MO	DAY	

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.

		SUSPENDED				SETTLEABLE					
	Jan. '10	SAMPLE	COMP	SUSPENDED	NET DIFF	NET SAMPLE	NET	WASTE	TOTAL FLOW	PONDS IN USE	GPM
DATE	Location	VOLUME	SAMPLE	SOLIDS	MG/L	CONC ML/L	DIFF	KG/D	MG/D		
1/6/2010	WEEK 1									ADULT POND	2000
	INTAKE ICICLE	1000 ml	<1		<1	<0.1		<112.6	29.7	10 X 100'S	10500
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water							8 X 80'S	5775
	UNDER BRIDGE DISCHARGE		<1							NURSERY	2380
	PA POND DISCHARGE	1000ml				<0.1				Trout Pond / FL'S	0
										TOTAL GPM ¹	20655
1/12/2010	WEEK 2									ADULT POND	2000
	INTAKE ICICLE	1000 ml		<1		<0.1			29.7	10 X 100'S	10500
	OUTSIDE SC CANAL DISCHARGE	1000ml				No Water				8 X 80'S	5775
	UNDER BRIDGE	1000ml				<0.1				NURSERY	2380
	PA POND DISCHARGE	1000 ml		<1		<0.1				Trout Pond / FL'S	0
										TOTAL GPM ¹	20655
1/20/2010	WEEK 3									ADULT POND	2000
	INTAKE ICICLE	1000 ml		<1		0.1			29.7	10 X 100'S	10500
	OUTSIDE SC CANAL DISCHARGE									8 X 80'S	5775
	UNDER BRIDGE DISCHARGE									NURSERY	2380
	PA POND DISCHARGE	1000 ml		<1		<0.1				Trout Pond / FL'S	0
										TOTAL GPM ¹	20655
1/26/2010	WEEK 4									ADULT POND	2000
	INTAKE ICICLE	1000 ml				<0.1			30	10 X 100'S	10500
	OUTSIDE SC CANAL DISCHARGE	1000ml				No Water				8 X 80'S	5775
	UNDER BRIDGE DISCHARGE	1000 ml				<0.1				NURSERY	2595
	PA POND DISCHARGE	1000 ml				<0.1				Trout Pond / FL'S	0
										TOTAL GPM ¹	20870
	WEEK 5										
	INTAKE ICICLE	1000 ml									
	PA POND DISCHARGE	1000 ml								TOTAL GPM	

*When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

GPM x 60min x 24hrs = Flow MG/D

GPM x 0.00545 x Net Diff = Waste KG/D